Physica C 208 (1993) 425–428
North-Holland

PHYSICA C

Author Index to Volume 208

Adachi, S., H. Yamauchi, S. Tanaka and N. Môri, High-pressure synthesis of superconducting Sr–Ca–Cu–O samples **208**, 226
Akimitsu, J., see T. Den **208**, 351
Asayama, K., see G.-Q. Zheng **208**, 339
Azuma, M., see Z. Hiroi **208**, 286

Bayya, S.S. and R.L. Snyder, Growth of anisotropic shaped superconducting particles in the Tl–Ba–Ca–Cu–O system **208**, 69
Bazhenov, A.V., A.V. Gorbunov, K.B. Rezchikov, T.N. Fursova, A.A. Zakharov and M.B. Tsetlin, Electron transitions at 0.1–0.6eV and DC-conductivity in the semiconducting phase of La_2CuO_{4+x} single crystals **208**, 197
Behner, H., K. Rührnschopf, G. Wedler and W. Rauch, Surface reactions and long time stability of YBCO thin films **208**, 419
Bogomolov, V.N., Y.A. Kumzerov, S.G. Romanov and V.V. Zhuravlev, Josephson properties of the three-dimensional regular lattice of the weakly coupled nanoparticles **208**, 371
Borowski, R., see M. Breuer **208**, 217
Breuer, M., B. Büchner, R. Müller, M. Cramm, O. Maldonado, A. Freimuth, B. Roden, R. Borowski, B. Heymer and D. Wohlleben, Preparation and characterization of RE doped $La_{2-x}Sr_xCuO_4$ **208**, 217
Büchner, B., see M. Breuer **208**, 217

Cai, J.G., see Q. Wei **208**, 347
Calalb, M.Gh., see M.E. Palistrant **208**, 170
Caldes, M., see D. Pelloquin **208**, 121
Cao, X.W., see Q. Wei **208**, 347
Carter, W.L., see L. Civale **208**, 137
Castro, M.A., see S.A. Hoffman **208**, 59
Chan, J., see M.G. Smith **208**, 412
Chebotaev, N.M., see V.A. Kostylev **208**, 189
Cheng, X., see C. Xianhui **208**, 38
Ciszek, M., J. Olejniczak and A.J. Zaleski, Energy dissipation and flux trapping in a high-T_c superconductor in low AC and DC magnetic fields **208**, 245
Civale, L., A.D. Marwick, R. Wheeler IV, M.A. Kirk, W.L. Carter, G.N. Riley Jr. and A.P. Malozemoff, Superconducting current density enhancement by heavy ion irradiation of Bi-2223 silver-clad tapes **208**, 137
Collin, G., see L. Legrand **208**, 356
Cramm, M., see M. Breuer **208**, 217

Dabrowski, B., V. Zhang-MacCoy, R. Hannon, B.A. Hunter, J.D. Jorgensen, J.L. Wagner and R.L. Hitterman, New 1212 structural analog of $YBa_2Cu_3O_7$. The Sr-based superconducting copper oxide $CuSr_{2-x}La_xYCu_2O_{7+\delta}$ with $T_c \sim 60$ K* **208**, 183
Dabrowski, B., see H. Zhang **208**, 231
David, O., see U. Yaron **208**, 18
Degterov, S.A. and G.F. Voronin, Effects of CO_2 on thermodynamic stability of superconductors in the Y–Ba–Cu–O system **208**, 403
Den, T., T. Kobayashi and J. Akimitsu, Superconductor with T_c up to 80 K in the compound $(Ln,Ca)(Sr,Ba)_2(C,Cu)Cu_2O_{7-\delta}$ **208**, 351
Dravid, V.P., see H. Zhang **208**, 231
Dupree, R., see Z.P. Han **208**, 328
Durbin, S.M., see S.A. Hoffman **208**, 59
Dyakonov, V.P., L.P. Kozeeva, G.G. Levchenko, V.I. Markovich, A.A. Pavljuk, Ju.F. Revenko and I.M. Fita, Low-temperature structural phase transition of the Jahn–Teller type in $DyBa_2Cu_3O_{7-\delta}$ **208**, 23

Felner, I., see U. Yaron **208**, 18
Finger, L.W., see A.J. Schultz **208**, 277
Fita, I.M., see V.P. Dyakonov **208**, 23
Follis, G.C., see S.A. Hoffman **208**, 59
Frank, H., see P.L. Paulose **208**, 11
Freimuth, A., see M. Breuer **208**, 217
Fu, U.S., see Q. Wei **208**, 347
Fujiwara, A., Y. Koike, K. Sasaki, M. Mochida, T. Noji and Y. Saito, Two effects of iodine intercalation on T_c in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8$. Two-dimensionality and charge transfer **208**, 29
Fujiwara, A., see Y. Koike **208**, 363
Fukuoka, A., see M. Karppinen **208**, 130
Fung, K.K., see H. Gu **208**, 391
Fursova, T.N., see A.V. Bazhenov **208**, 197

Ganguly, P. and N. Shah, Use of an AX_3 close-packing description of layered perovskites in understanding the role of various A ions in cuprate superconductors **208**, 307
Gao, X.H., see Q. Wei **208**, 347
Geiser, U., see A.J. Schultz **208**, 277
Geurst, J.A. and H. Van Beelen, The London field revisited. On the correct form of London's equations for a rotating superconductor **208**, 43
Goodenough, J.B., see M.G. Smith **208**, 412
Gopalakrishnan, J., see V. Manivannan **208**, 253
Gorbunov, A.V., see A.V. Bazhenov **208**, 197
Greaves, C., see P.R. Slater **208**, 193
Greene, R.L., see D. Prasad Beesabathina **208**, 79
Gu, H., K.K. Fung, C.D. Wei, J.L. Zhang and D.L. Yin, Order–

disorder and superconductivity in Ca-doped $LaBa_2Cu_3O_{7-\delta}$ **208**, 391
Gunasekaran, R.A., J.V. Yakhmi and R.M. Iyer, On the evolution of superconductivity in $La_{1.5-x}Ba_{1.5-x}Ca_{2x}Cu_3O_{7-\delta}$ $(0.0 \leqslant x \leqslant 1.0)$ **208**, 143
Gundjian, A.A., see A.L. Li **208**, 64
Güntherodt, G., see P.L. Paulose **208**, 11

Han, Z.P. and R. Dupree, Phenomenological model for the normal state spin susceptibility in high-temperature superconductors **208**, 328
Hannon, R., see B. Dabrowski **208**, 183
Hasegawa, T., see K. Yanagisawa **208**, 51
Hazen, R.M., see A.J. Schultz **208**, 277
Hervieu, M., see A. Maignan**208**, 116, 149
Hervieu, M., see D. Pelloquin **208**, 121
Heymer, B., see M. Breuer **208**, 217
Hidaka, Y., see M. Suzuki **208**, 333
Hinks, D.G., see H. Zhang **208**, 231
Hiroi, Z., M. Azuma, M. Takano and Y. Takeda, Structure and superconductivity of the infinite-layer compound $(Ca_{1-y}Sr_y)_{1-x}CuO_{2-z}$ **208**, 286
Hitterman, R.L., see B. Dabrowski **208**, 183
Hoffman, S.A., M.A. Castro, G.C. Follis and S.M. Durbin, Anomalous behavior of nickel–gallium substitutions in $YBa_2Cu_3O_{7-\delta}$ **208**, 59
Huang, W.F., K.J. Hung and J.G. Shen, Magnetic hysteresis of transport critical current in polycrystalline YBCO **208**, 7
Hung, K.J., see W.F. Huang **208**, 7
Hunter, B.A., see B. Dabrowski **208**, 183
Huvé, M., see A. Maignan **208**, 149

Ikemachi, T., see M. Karppinen **208**, 130
Ishida, K., see G.-Q. Zheng **208**, 339
Iyer, R.M., see R.A. Gunasekaran **208**, 143

Jiang, M.H., see X.L. Wang **208**, 259
Jorgensen, J.D., see B. Dabrowski **208**, 183
Jorgensen, J.D., see H. Zhang **208**, 231

Kaneko, T., see J. Wang **208**, 323
Karppinen, M., A. Fukuoka, J. Wang, S. Takano, M. Wakata, T. Ikemachi and H. Yamauchi, Valence studies on various superconducting bismuth and lead cuprates and related materials **208**, 130
Kashiwagi, Y., see M. Suzuki **208**, 333
Kirk, M.A., see L. Civale **208**, 137
Kitaoka, Y., see G.-Q. Zheng **208**, 339
Kobayashi, T., see T. Den **208**, 351
Koike, Y., see A. Fujiwara **208**, 29
Koike, Y., K. Sasaki, A. Fujiwara, M. Mochida, T. Noji and Y. Saito, Crystal structure and superconductivity of iodine-intercalated $Bi_2Sr_2CaCu_2O_8I_x$ $(0 \leqq x \leqq 1)$. Dependence on the iodine concentration **208**, 363
Koizumi, T., see K. Yanagisawa **208**, 51
Kornyushin, Y., see U. Yaron **208**, 18
Kostylev, V.A., A.I. Ponomarev, N.M. Chebotaev and S.V. Naumov, Uniaxial stress effect on transport phenomena of $YBa_2Cu_3O_x$ single crystals with different oxygen content **208**, 189
Kozeeva, L.P., see V.P. Dyakonov **208**, 23
Kumzerov, Y.A., see V.N. Bogomolov **208**, 371
Kuse, T., see G.-Q. Zheng **208**, 339

Landauer, R., Comment on "Physical limits to quantum flux parametron operation" **208**, 205
Legrand, L., I. Rosenman, Ch. Simon and G. Collin, Thermal measurements of the magnetic field induced dissipation in $YBa_2Cu_3O_{7-\delta}$ at low temperature **208**, 356
Levchenko, G.G., see V.P. Dyakonov **208**, 23
Li, A.L., I. Shih and A.A. Gundjian, CO_2 laser ablated BiSrCaCuO superconducting thin films **208**, 64
Li, Z.Y., see D. Prasad Beesabathina **208**, 79
Liezhao, C., see C. Xianhui **208**, 38

Maignan, A., M. Hervieu, C. Michel and B. Raveau, Introduction of nitrate groups in the "123" structure .The 82 K superconductor $YCaBa_4Cu_5(NO_3)_{0.3}(CO_3)_{0.7}O_{11}$. **208**, 116
Maignan, A., see D. Pelloquin **208**, 121
Maignan, A., M. Huvé, C. Michel, M. Hervieu, C. Martin and B. Raveau, A 55 K superconducting copper oxycarbonate: $Tl_{1-x}Bi_xSr_4Cu_2CO_3O_7$ **208**, 149
Maldonado, O., see M. Breuer **208**, 217
Malozemoff, A.P., see L. Civale **208**, 137
Manivannan, V., N. Rangavittal, J. Gopalakrishnan and C.N.R. Rao, Structure and superconducting properties of a new family of thallium cuprates, $TlSr_{3-x}Ln_xCu_2O_7$ **208**, 253
Markovich, V.I., see V.P. Dyakonov **208**, 23
Martin, C., see A. Maignan **208**, 149
Marwick, A.D., see L. Civale **208**, 137
Matsui, Y., see K. Yanagisawa **208**, 51
Michel, C., see A. Maignan **208**, 116, 149
Michel, C., see D. Pelloquin **208**, 121
Mironova, M., see V. Selvamanickam **208**, 238
Miura, K., Effects of antiferromagnetic order on the electronic states in the d–p model **208**, 297
Mochida, M., see A. Fujiwara **208**, 29
Mochida, M., see Y. Koike **208**, 363
Môri, N., see S. Adachi **208**, 226
Muirhead, C.M., see P.R. Slater **208**, 193
Müller, R., see M. Breuer **208**, 217
Muroi, M. and R. Street, Diamagnetic properties of $Y_{1-x}Pr_xBa_2Cu_3O_y$. Evidence for inhomogeneous superconductivity **208**, 107

Naumov, S.V., see V.A. Kostylev **208**, 189
Noji, T., see A. Fujiwara **208**, 29
Noji, T., see Y. Koike **208**, 363

Ohsugi, S., see G.-Q. Zheng **208**, 339
Okuda, Y., see M. Suzuki **208**, 333
Olejniczak, J., see M. Ciszek **208**, 245

Padmanaban, V.P.N. and K. Shahi, Superconducting properties of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Ti,V) **208**, 263
Palistrant, M.E., V.M. Vakalyuk and M.Gh. Calalb, Collective oscillations in two-band low-dimensional superconductors and in superconductors with three overlapping bands **208**, 170
Patil, S., see P.L. Paulose **208**, 11
Patlagan, L., see U. Yaron **208**, 18
Paulose, P.L., S. Patil, H. Frank and G. Güntherodt, Influence of Pb and Nb substitution on pinning and irreversibility behaviour of Bi2212 **208**, 11
Pavljuk, A.A., see V.P. Dyakonov **208**, 23
Pelloquin, D., M. Caldes, A. Maignan, C. Michel, M. Hervieu and B. Raveau, The bismuth oxycarbonate $Bi_2Sr_4Cu_2CO_3O_8$. A new superconductor with a T_{conset} of 30 K **208**, 121
Peng, J.L., see D. Prasad Beesabathina **208**, 79
Ponomarev, A.I., see V.A. Kostylev **208**, 189
Prasad Beesabathina, D., L. Salamanca-Riba, J.L. Peng, Z.Y. Li and R.L. Greene, Structural comparison of $Nd_{2-x}Ce_xCuO_{4-y}$ single crystals and polycrystals **208**, 79

Rangavittal, N., see V. Manivannan **208**, 253
Rao, C.N.R., see V. Manivannan **208**, 253
Rauch, W., see H. Behner **208**, 419
Raveau, B., see A. Maignan **208**, 116, 149
Raveau, B., see D. Pelloquin **208**, 121
Revenko, Ju.F., see V.P. Dyakonov **208**, 23
Rezchikov, K.B., see A.V. Bazhenov **208**, 197
Riley Jr., G.N., see L. Civale **208**, 137
Rinderer, L., see T. Yasuda **208**, 385
Roden, B., see M. Breuer **208**, 217
Romanov, S.G., see V.N. Bogomolov **208**, 371
Rosenman, I., see L. Legrand **208**, 356
Rührnschopf, K., see H. Behner **208**, 419

Saito, Y., see A. Fujiwara **208**, 29
Saito, Y., see Y. Koike **208**, 363
Salama, K., see V. Selvamanickam **208**, 238
Salamanca-Riba, L., see D. Prasad Beesabathina **208**, 79
Sasaki, K., see A. Fujiwara **208**, 29
Sasaki, K., see Y. Koike **208**, 363
Sato, Y., see M. Suzuki **208**, 333
Schultz, A.J., U. Geiser, H.H. Wang, J.M. Williams, L.W. Finger and R.M. Hazen, High pressure structural phase transitions in the organic superconductor κ-$(ET)_2Cu[N(CN)_2]Cl$ **208**, 277
Selvamanickam, V., M. Mironova, S. Son and K. Salama, Flux pinning by dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors **208**, 238
Shah, N., see P. Ganguly **208**, 307
Shahi, K., see V.P.N. Padmanaban **208**, 263
Shen, J.G., see W.F. Huang **208**, 7
Shih, I., see A.L. Li **208**, 64
Simon, Ch., see L. Legrand **208**, 356
Slaski, M., see P.R. Slater **208**, 193
Slater, P.R., C. Greaves, M. Slaski and C.M. Muirhead, Copper oxide superconductors containing sulphate and phosphate groups **208**, 193
Smith, M.G., R.D. Taylor and J.D. Thompson, Fe environments and magnetic order in $YSr_2Cu_2FeO_{7.26}$ **208**, 91
Smith, M.G., J. Chan and J.B. Goodenough, High-temperature superconductivity in $Y_{1-z}Ca_zSr_2Cu_{2.5}Fe_{0.5}O_{6+x}$ **208**, 412
Snyder, R.L., see S.S. Bayya **208**, 69
Son, S., see V. Selvamanickam **208**, 238
Stobbs, W.M., see E.J. Williams **208**, 96
Street, R., see M. Muroi **208**, 107
Strother, D.D., see K.H. Young **208**, 1
Suzuki, M., Y. Sato, Y. Kashiwagi, Y. Okuda and Y. Hidaka, Anomalous pinning of Pt-doped single crystalline $La_{1.88}Sr_{0.12}CuO_4$ studied by ultrasound **208**, 333

Takano, M., see Z. Hiroi **208**, 286
Takano, S., see M. Karppinen **208**, 130
Takano, S., see J. Wang **208**, 323
Takano, S., see T. Yasuda **208**, 385
Takeda, Y., see Z. Hiroi **208**, 286
Tanaka, S., see S. Adachi **208**, 226
Taubert, J., Magnetization and relaxation curves of TlBaCaCuO Measurements and simulation **208**, 86
Taylor, R.D., see M.G. Smith **208**, 91
Theuss, H., Flux line pinning by point defects in single crystalline high-T_c superconductors **208**, 155
Thompson, J.D., see M.G. Smith **208**, 91
Tsetlin, M.B., see A.V. Bazhenov **208**, 197

Vakalyuk, V.M., see M.E. Palistrant **208**, 170
Van Beelen, H., see J.A. Geurst **208**, 43
Voronin, G.F., see S.A. Degterov **208**, 403

Wagner, J.L., see B. Dabrowski **208**, 183
Wakata, M., see M. Karppinen **208**, 130
Wakata, M., see J. Wang **208**, 323
Wang, H., see X.L. Wang **208**, 259
Wang, H.H., see A.J. Schultz **208**, 277
Wang, J., see M. Karppinen **208**, 130
Wang, J., M. Wakata, T. Kaneko, S. Takano and H. Yamauchi, Enhancement of T_c in (Bi,Pb)-2223 superconductor by vacuum encapsulation and post-annealing **208**, 323
Wang, X.L., Z. Wang, H. Wang and M.H. Jiang, Study of the electric hysteresis loop from properties of the $Bi–O_2$ layer on the cleaved surface of a $Bi_2Sr_2CaCu_2O_y$ single crystal **208**, 259
Wang, Y.Y., see H. Zhang **208**, 231
Wang, Z., see X.L. Wang **208**, 259
Wedler, G., see H. Behner **208**, 419
Wei, C.D., see H. Gu **208**, 391
Wei, Q., X.H. Zhou, J.G. Cai, X.H. Gao, X.L. Wu, U.S. Fu, J.H. Zhu and X.W. Cao, Studies of superconductivity in 118 K high-T_c (Bi,Pb)SrCaCuO–F superconductors **208**, 347
Wheeler IV, R., see L. Civale **208**, 137
Williams, E.J. and W.M. Stobbs, The development of

orientation relations between sputtered $YBa_2Cu_3O_{7-\delta}$ and MgO substrates **208**, 96
Williams, J.M., see A.J. Schultz **208**, 277
Wohlleben, D., see M. Breuer **208**, 217
Wu, X.L., see Q. Wei **208**, 347

Xianhui, C., X. Cheng, C. Liezhao and C. Zhaojia, The influence of Pb on the stability of the Bi-type modulated structure **208**, 38

Yakhmi, J.V., see R.A. Gunasekaran **208**, 143
Yamada, Y., see G.-Q. Zheng **208**, 339
Yamauchi, H., see M. Karppinen **208**, 130
Yamauchi, H., see S. Adachi **208**, 226
Yamauchi, H., see J. Wang **208**, 323
Yanagisawa, K., Y. Matsui, T. Hasegawa and T. Koizumi, Effects of Fe-doping on the modulated structures of Bi–Sr–Cu–O superconductors **208**, 51
Yaron, U., Y. Kornyushin, I. Felner, O. David and L. Patlagan, Field dependence of the magnetization of melt textured and ceramic Y–Ba–Cu–O **208**, 18
Yasuda, T., S. Takano and L. Rinderer, Effects of oxygen non-stoichiometry on the anisotropic resistivity in $Bi_2Sr_2CaCu_2O_{8+x}$ **208**, 385
Yin, D.L., see H. Gu **208**, 391
Young, K.H. and D.D. Strother, Microwave performance of epitaxial $YBa_2Cu_3O_{7-\delta}$ films on $YAlO_3$ (001) substrates **208**, 1

Zakharov, A.A., see A.V. Bazhenov **208**, 197
Zaleski, A.J., see M. Ciszek **208**, 245
Zhang, H., Y.Y. Wang, V.P. Dravid, B. Dabrowski, K. Zhang, D.G. Hinks and J.D. Jorgensen, Anisotropy of charge carriers and dielectric function of $YBa_2Cu_4O_8$ (Y124) **208**, 231
Zhang, J.L., see H. Gu **208**, 391
Zhang, K., see H. Zhang **208**, 231
Zhang-MacCoy, V., see B. Dabrowski **208**, 183
Zhaojia, C., see C. Xianhui **208**, 38
Zheng, G.-Q., T. Kuse, Y. Kitaoka, K. Ishida, S. Ohsugi, K. Asayama and Y. Yamada, ^{17}O NMR study of $La_{2-x}Sr_xCuO_4$ in the lightly- and heavily-doped regions **208**, 339
Zhou, X.H., see Q. Wei **208**, 347
Zhu, J.H., see Q. Wei **208**, 347
Zhuravlev, V.V., see V.N. Bogomolov **208**, 371

Physica C 208 (1993) 429
North-Holland

PHYSICA C

Analytic Subject Index to Volume 208

AC susceptibility 29, 245
Anisotropic superconductor 86, 385
Antiferromagnetic order 91, 297, 328
Applications of high-T_c superconductors 1, 137, 205

Carrier concentration 59, 217, 339
Charge transfer 307
Close-packing model 307
CO_3-compounds 351
Collective oscillation 170
Columnar defects 137
Critical current density 7, 11, 137, 238, 245, 347, 356
Critical state model 356
Cu–O planes 297
Cuprate phosphates 193
Cuprate sulphates 193

Defect structures 18, 96
Dielectric function 231
Dislocations 238

EDXS 391
EELS 231
Effective mass 43
Electrical hysteresis 259
Electrical resistivity 23, 29, 59, 64, 86, 189, 197, 253, 263, 351, 363, 385
Electronic structure 197
Electron microscopy 391

Ferroelectricity 259
Fluctuation effects 170, 263
Flux dynamics 86, 155, 356
Flux pinning 7, 11, 137, 155, 238, 333

Grain alignment 96
Granular superconductivity 7, 18, 107, 245, 371

Hall effect 189
High-pressure effect 189
High-pressure synthesis 286
HREM 51, 116, 121, 231, 277, 286

Infinite-layer compound 286
Infrared spectroscopy 197
Inhomogeneous superconductor 107
Intercalation 363
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8I$ 29
Irradiation effect 137
Irreversibility line 11, 347

Josephson arrays 205
Josephson effect 371

Laser ablation 64
Lattice parameters 38, 143, 253
London field 43

Magnetic moment 59
Magnetic relaxation 11, 155, 347
Magnetic susceptibility 23, 91, 328
Magnetization 18, 86, 107, 155, 412
Magnetocaloric effect 356
Magnetoresistance 23
Metal–insulator transition 297
Microwave absorption 1
Mixed state 333
Modulated structures 38, 51, 79, 226
Mössbauer spectroscopy 91, 412
Multi-band superconductivity 170

Neutron diffraction 59, 183
NMR 328, 339
Non-ohmic behaviour 155
Normal-state properties 259, 328

Organic superconductor 277
Oxygen pressure 64
Oxygen stoichiometry 130, 143, 197, 286, 385

Penetration depth 43
Percolation model 107
Phase diagram 403
Phase-locking 371
Phosphate superconductor 193
Pinning force 86

Quantum flux parametron 205

Reactions with CO_2 403
Rotating superconductor 43

SEM 69
Single-crystal growth 79
Structural phase transition 23, 277
Structure 307
–of $Bi_2Sr_2CaCu_2O_8I_x$ 363
–of $Bi_2Sr_4Cu_2CO_3O_8$ 121
–of Bi–Pb–Sr–Ca–Cu–O 38
–of Bi–Sr–Cu–Fe–O 51
–of $CuSr_{2-x}La_xYCu_2O_{7+\delta}$ 183
–of $LaBa_2Cu_3O_{7-\delta}$ 391
–of $(Ln,Ca)(Sr,Ba)_2(C,Cu)Cu_2O_{7-\delta}$ 351
–of $Sr_{0.6}Ca_{0.333}CuO_{2.00+z}$ 226
–of $Tl_{1-x}Bi_xSr_4Cu_2CO_3O_7$ 149
–of $TlSr_{3-x}Ln_xCu_2O_7$ 253
–of $Y_{1-z}Ca_zSr_2Cu_{2.5}Fe_{0.5}O_{6+x}$ 412
–of $YCaBa_4Cu_5(NO_3)_{0.3}(CO_3)_{0.7}O_{11}$ 116
Substitution effects
–in (Bi,Pb)SrCaCuO–F 347
–in $Bi_{2+\delta}Sr_{2-\delta}CuO_y$ 51
–in $La_{1.5-x}Ba_{1.5-x}Ca_{2x}Cu_3O_{7-\delta}$ 143
–in $La_{2-x}Sr_xCuO_4$ 217, 339
–in $LaBa_2Cu_3O_{7-\delta}$ 391
–in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ 263
–in $YBa_2Cu_3O_{7-\delta}$ 59
Sulphate superconductor 193
Superconductor superlattice 371
Surface reactions 419
Synthesis
–of $Bi_2Sr_4Cu_2CO_3O_8$ 121
–of Bi(Pb)-2223 323
–of Bi–Pb–Sr–Ca–Cu–O 38
–of $CuSr_{2-x}La_xYCu_2O_{7+\delta}$ 183
–of $La_{1.5-x}Ba_{1.5-x}Ca_{2x}Cu_3O_{7-\delta}$ 143
–of $La_{2-x}Sr_xCuO_4$ 217
–of $(Ln,Ca)(Sr,Ba)_2(C,Cu)Cu_2O_{7-\delta}$ 351
–of $Nd_{2-x}Ce_xCuO_{4-y}$ 79
–of $Sr_{0.6}Ca_{0.333}CuO_{2.00+z}$ 226
–of $Tl_{1-x}Bi_xSr_4Cu_2CO_3O_7$ 149
–of Tl–Ba–Ca–Cu–O 69
–of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ 263
–of $YCaBa_4Cu_5(NO_3)_{0.3}(CO_3)_{0.7}O_{11}$ 116

Thermodynamic stability
–of Y–Ba–Cu–O 403
Thermoelectric effects 217, 263, 323
Thin films 1, 64, 96, 419
Topological transitions 170
Tunneling 385

Ultrasound velocity 333

Valence determination 130

Weak links 7, 371

XPS 419
X-ray diffraction 69, 143, 149, 217, 226, 253, 277, 323, 363

YBCO 419